

Comparative case study of the construction and demolition waste practical treatment induced by different legislations in France and Belgium (Wallonia and Flanders)

Mignon B.¹ and Bréquel H.¹

¹ Centre Terre et Pierre (CTP), Chaussée d'Antoing 55, 7500 Tournai, Phone (+32) 69 88 42 51; email: herve.brequel@ctp.be

ABSTRACT

A comparative case study of the current legislation and state of the art of practical procedures and methodologies used for the treatment of Construction and Demolition Waste (CDW) between France and Belgium (Flanders and Wallonia) will be presented in the framework of the project VALDEM (Interreg Va France-Wallonie-Vlaanderen Convention n°1.1.57). The authors exhibit the differences in practice for the demolition companies induced by different policies at regional or national level. Typical examples are given concerning the various mandatory phases of a demolition work, their organization, with a link to the resulting quality of CDW (number and type of waste stream collected, purity of each stream, and identification of the undesired material). Emphasis will be put on the technical feasibility versus the legal feasibility for each region. Existing valorization routes are also mentioned in order to show potential transnational opportunities for the CDW industries, the sorting facilities, and potential end users, and in general help transposing the good practices from one region/country to another.

Keywords: CDW legislation, comparative case study, state of the art of practice, France-Wallonie-Vlaanderen.

INTRODUCTION

Since 25 years, there is a growing interest for a better valorization of Construction and Demolition Waste (CDW) from various stakeholders such as academic community, government and industries. Belgium was a pioneer country in this field (Vyncke 2010), with some practical and legislative differences due to its federal structure and regional competencies regarding waste management, even if the legislation is derived from the implementation of European directive as well as in other countries. Knowing that CDW is the largest waste stream in Europe, in volume, and is about one third of all waste produced, it is not a surprise that recycling and re-using of construction and demolition waste is a key issue at the core of European strategies such as the Circular Economy Package, the Resource Efficiency Opportunities in the Building Sector and the Construction 2020 strategy (EU 2015, EU COM 2014, EU COM 2012). The Commission introduced recently the "EU Construction & Demolition Waste Management Protocol" (EU 2016), a non-binding guidelines as a proposal to the industry. We will see that the current best available practices in the in the interregional area France – Wallonia - Flanders are mainly in line with this guide, but that difficulties and are still present. The goal of this paper is to point out practical examples and possible causes (technical, legislative, lack of knowledge, others) as elements to focus on in the framework of VALDEM project.

COMPARISON OF PRACTICES

The legislation in France, Wallonia and Flanders deriving from EU directive, there is a common background leading to common practices.

Minimal common treatment. It is well established that a demolition operation must follow certain steps such as:

- Preparation - all the preliminary actions and documents needed before the real work can take place, including mandatory diagnosis
- Decontamination - mandatory removal of hazardous waste, and the appropriate discarding and elimination
- Dismantling - selective demolition, most of the time performed manually or with hand tools
- Demolition - on site operations that consist of the full destruction of the building. It is more or less selective depending on the size, and the duration of the work, and ends up with the delivery of various fractions of materials to another place.

Those phases follow the guideline of EU Construction and Demolition Waste Management Protocol, but would need very detailed and harmonized procedures in order to promote a better valorization of the resulting CDW.

Examples of differences. Since the project is not dealing with hazardous waste, we assume here that the preparation phase, with the mandatory diagnosis and the hazardous waste removal is performed properly following the current legislation for the region where the demolition takes place.

During the dismantling phase, all that is easily removed, has a certain value and will help the further demolition is taken out regardless of the geographical situation. The resulting waste is, most of the time, separated in metallic fraction, and inert waste. Depending on the local context or opportunities, a more precise dismantling can be performed to obtain additional waste stream such as: window frames, plaster, PVC, wood... It is only performed when the additional cost is balanced by an opportunity of valorization (presence close by of an industry able to take the secondary material at a good price). As an example, due to a recent increase of capacity (since 2010) for wood conversion to energy in Flanders, it is even needed to treat non-hazardous wood waste from other areas, opening opportunities for materials coming from Wallonia and north of France (EMIS 2013). A Belgian PVC frame producer (Deceuninck) is recycling such materials from demolition waste if collected separately (EU factsheet Belgium), when in France it is more PVC floor (association PAPREC-Gerflor,) For both materials, it is still limited in the area around the producers plant due to transport costs (EU Factsheet France).

During the demolition step, the main resulting waste stream is a mixture of concrete and bricks (stony material), with small amount of other undesired materials (ceramic and tiles, insulating materials, wood...). This material can also be 'contaminated' by soil, especially in case of bad weather. The main use of such secondary materials is recycled granulates for sub layer of road construction. In order to fulfill the needed properties for recycled aggregates (composition, granulometry...), an additional treatment is necessary, which is typically performed in an Approved Treatment Center (CTA). Each sorting center has its own process optimized for its own most abundant flows, but typical side products that are seen with low valorization potential are the fine fraction (< 20 mm) of concrete and brick mixes, with sometimes gypsum from plaster and/or soil from the handling.

On-site or offsite additional treatment. The separation and size reduction process could be done on site, but with additional constraints such as the space available, and the legislation. The use of on-site mobile equipment and in-situ recycling are easier in France due to recent changes induced by the national union of deconstruction companies, SNED towards the authorities. In Wallonia, the permit delivery that allows on-site treatment is more complicated than the usual demolition permit, and there is an obligation for waste to transit by an approved treatment center to become a product. This situation favors the treatment off site. In Flanders, the situation is even more complicated (Deltour) due to the different authorities' level in charge (City, Province or Region) depending on if the mobile unit will be used only in a city or shared over more than one Province. What is more, a Unified Permit is on its way but not yet implemented for the cities in Flanders (due to be operational at June 1st 2017). Another key point is that the processing cost by a mobile unit is considerably greater and attractive only for high-value-added flows or for waste whose quantity exceeds twenty thousand tons per campaign.

Confidence and final use. Traceability of the materials generated by the deconstruction sector is a key parameter to give confidence to the final user. In Flanders, the non-profit organization Tracimat, is recognized by the public authorities to set up such system, when, in France, initiatives are arising from the industrial sectors represented by SNED which promotes the use of an online platform for the traceability of CDW on a voluntary basis. In Wallonia, the stakeholders are in discussion on such topic. In France, products using fine mixed materials with excavated soils and additives such as cement or lime are available and used in particular cases. A similar approach is developing in Wallonia, with the difficulty to meet the market. Indeed, recycling such CDW is mandatory, but there is no obligation of use of the product obtained, leading to the accumulation of big stockpiles by the CTA.

Crossborder opportunities. In Belgium, a company active in the roofing is able to recycled old bitumen based roofing in its process, after a chemical check of the non-hazardous nature of the material. In south-east of France, an economical model for recycling plaster from CDW into new plaster boards was implemented few years ago, unfortunately, it seems not transposable in the region of Hauts-de-France due to a different economical context, showing the very importance of case-by-case study, but knowing what is technically feasible. In such cases, a life cycle analysis (Di Maria 2015) may help select the best appropriate choice. More generally, an enhanced sorting of concrete and bricks could favor separate valorization ways of recycled concrete and recycled bricks and help to balance the additional sorting cost that should be anyway minimal.

CONCLUSION

The project is only at its early stage. and the summary of common practices and differences will evolve with the contacts to be taken with industrial partners and federation from France, Wallonia and Flanders. Nevertheless it was already possible to point out differences over the three areas. They are either coming from the legislation (more or less easy use of mobile unit on site, different traceability systems) or the even more local economical context (presence or not of some industries able to admit secondary raw materials coming from CDW). Technical aspect takes place at a second stage, but it is usually not the blocking point itself, except when considering its cost. The separation of CDW fractions is technically feasible, most of the time, during the dismantling step manually or at a later stage with automatized equipment. But the extra cost is rarely compatible with the actual use of such materials, thus the need to

work simultaneously on the cost reduction with automatized separation treatment and the valorization within higher value materials, as intended in the project VALDEM.

ACKNOWLEDGEMENT

This work is part of the research project VALDEM (Convention n° 1.1.57 of Interreg France-Wallonie-Vlaanderen 2014-2020) partly financed by the European Regional Development Funds, and Wallonia.

REFERENCES

- Deltour Bernard, informal note on Flanders waste legislation (2017), Industrious, Boulevard Brand Whitlocklaan 132, 1200 Bruxelles,
- Di Maria A., Dubois M., Van Acker K., (2015) Proceedings of ISWA – Antwerp, Downcycling vs Upcycling practices for Construction and Demolition Waste : a comparison based on life cycle analysis
- EMIS (2013), <https://afss.emis.vito.be/afvalstroom/houtafval>
- EU, Circular Economy Package (2015), adopted on the 2nd December 2015, https://ec.europa.eu/growth/industry/sustainability/circular-economy_en
- EU, COM (2014) 445 final, <http://ec.europa.eu/environment/eussd/pdf/SustainableBuildingsCommunication.pdf>
- EU, COM (2012) 433 final, <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=COM:2012:0433:FIN:EN:PDF>
- EU, Construction waste & management protocol (2016), Protocol Ares(2016)5840688-101016.pdf
- EU, CDW factsheet Belgium (2015), http://ec.europa.eu/environment/waste/studies/deliverables/CDW_Belgium_Factsheet_Final.pdf
- EU CDW factsheet France (2015), http://ec.europa.eu/environment/waste/studies/deliverables/CDW_France_Factsheet_Final.pdf
- Vyncke J., Vrijders J., Proceedings of 2nd International conference on Sustainable Construction Materials and Technologies (2010) 11 pages
- Waste Framework Directive 2008/98/EC, <http://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex:32008L0098>